





Cal Januare

*			



			VET





Adde HAG


decimal accommissions


- Turcinia Hippointoria Mos 🤨 y Mattroductylus hipritornia, (u/
 - H production I L
 - M. Amader, and p. /
- 1/1 allifacetta owi
- id Trothe Week Renz
- · Metallida tyran care code plan inc
- As how crops to contract, wow.
- a filter arms thin our bawk y














structetomus sculstus, Ze VA y 4 Psallus diminutus, 11 1 200 m. 11 1 200 protrichus, 11 1 1 1 200 protrichus, 12 1 1 1 200 protrichus, 11 1 200 protrichus, 12 1 200 protrichus, 11 1 200 protrichus, 12 1 20







	d		




,			












Mario sens exitar, and come a Than ephalis on repairs so the Dimostethia coencide that the Shaharan end of the solution of the solution of the Shaharan epic seeds the parallel of the solution of the Shaharan epic seeds the Menopara but more as







i Anoterope transmitted to the second to a style produce of a system with the second term following the second to the pyrether of the second to the second to the second term of the sec


·		





unar est de la compara d La compara de la compara d







. Augmented date //


- M-111 1.
- A made
- a More partition on the control of t
- are experienced as a second of the second of

	,		
,			
		,	











Camptotylus Yersini, M. a
id. Mayeri, Firl
Plagiotylus maculatus, F.d






thocopt








If the major to the control of the con


,			





	•	


1 a	1 b	1 c		1 d	2 a
				* (I	
7° - 5		*		•	
	•				
	•				•
2 b		3 a		3 b	4 a
2 1)	2 c			* 1	
, .	7 X			10	
and the same of th				•	
State in					
		5 b			
4 b	5 а			6 а	6 Ъ
		2 cash		. 7	
۰		(***		7	•
*					
_				d 8	9
7 a	7 Ъ	8 a		8 D	
	Y di cominina	, 6	\.	the second stage of the se	•
	N. M.	f+	33	and the supposed which	in .
		44 3-	12	13	14
10	11 a	11 b			,
				1	3
	٠,		* '.		1
			in the		
1 5 a		10 -		17 a	17 Ъ
20.0	15 b	16 a	16 b	₹^	17 1)
÷ -	- James many		7	(0, 2)	
			v - *		
	The state of				
•					
17 c	18 a	18 b	18 c	18 d	
,	10 8	×		7	
	1		(,	*	22 a
	* h	+			
					p.
10	19 b	10	20 a	20 b	2.3
19 a		19 c			K
	` \				A STATE OF THE PERSON OF THE P
				23 Ъ	
		22 b	23 а	20 0	3 , ,
21 a	21 b	-3	~,.,		
•		,			ď
,	art.			•	

	·	
















	·		



 $\frac{1}{2} + \frac{1}{2} \cdot \frac{1}$

·, I · II (7


		,



11. 12 2. 3

I. Calocoris k Fig. .


2. C. fuscescens *Reut* 3. C. nebulosus *Fieb*.



Fieber pinx.

- 1. Phytocoris longipennis Flor.
- . Ph. tiliae v. marmoratus D. et S.
- 3. Ph. femoralis Fieb.

	,		



ts bicolor *Fieb.* . Miridius ouadrivir





